

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	16	((bodin near2 francois) or (jalby near2 william) or (lepasteur near2 xavier) or (lemuet near2 christophe) or (courtois near2 eric) or (papadopoulos near2 jean) or (leca near2 pierre)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/25 11:59
S1	1	("20080034360").PNL	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2010/10/12 13:38
S2	2	((("2003056083") or ("5815721")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/01/27 14:43
S3	23661	optimiz\$5 with code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/27 17:07
S4	5	S3 same (dynamic near4 parameter) same (architecture or platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/27 17:07
S5	1088	S3 with (architecture or platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/27 17:08
S6	14	S3 same (architecture or platform) near4 (specification or definition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/27 17:08
S7	2971	(717/151-161).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/01/27 17:27
S8	19421	(architecture or platform) near4 (specification or definition or parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/27 17:28

S9	143	S7 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/27 17:28
S10	0	("EP20050717408").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/01/27 17:37
S11	0	("EP20050717408").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/27 17:37
S12	0	("EP1704476").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/27 17:37
S13	0	(WO/2005/073851).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/27 17:48
S14	0	("WO2005073851").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/27 17:48
S15	0	WO/2005/073851	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/27 17:48
S16	0	WO2005073851	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/27 17:48
S17	5	"2005073851"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/27 17:48
S18	4637	(generat\$3 or creat\$3) with optimiz\$5 with (rule or strategy or plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 09:49

S19	133528	test\$3 with (pattern or variant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 09:49
S20	262	S18 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 09:49
S21	2971	(717/151-161).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/01/28 09:49
S22	2	S20 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 09:49
S23	622499	test\$3 with (result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:07
S24	58	S18 same S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:07
S25	1	S21 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:07
S26	12	S24 and compiler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:07
S27	1789	(generat\$3 or creat\$3) with compil\$3 with (heuristic or rule or strategy or plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:21

S28	636756	test\$3 with (result or variant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:21
S29	36	S27 same S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:21
S30	312	S27 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:23
S31	8	S30 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:23
S32	42	S27 and test\$3 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 10:23
S33	2974	(717/151-161).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/02/01 09:58
S34	1790	(generat\$3 or creat\$3) with compil\$3 with (heuristic or rule or strategy or plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/01 09:58
S35	76	S34 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/01 09:58
S36	441	customiz\$5 with compiler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 11:02

S37	6558	optimiz\$5 with compiler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 11:02
S38	105	S36 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 11:03
S39	159	S37 same (target near4 (architecture or platform))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 12:36
S40	24	S36 with S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 12:36
S41	81	S37 with (target near4 (architecture or platform))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 12:36
S42	22841	benchmark	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 13:08
S43	3	S41 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 13:08
S44	15	S39 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 13:09
S45	12464	genetic near4 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 13:16

S46	26	S37 and "I7"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 13:16
S47	61	S37 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 13:16
S48	2467	compil\$3 with (heuristic or strategy or plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:46
S49	45	S48 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:47
S50	10202	genetic near4 program\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 15:07
S51	12	S48 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 15:07
S52	2470	compil\$3 with (heuristic or strategy or plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 10:06
S53	16	S52 same benchmark	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 10:06
S54	746	(optimiz\$5 or best) with compil\$5 with (heuristic or strategy or plan or option)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 10:20

S65	59	S54 and benchmark	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 10:21
S66	53	(tailor or tun\$3) with compil \$3 with (heuristic or strategy or plan or option)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 10:30
S67	4	(tailor or tun\$3) with compil \$3 with target with (architecture or platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 10:46
S68	104	(optimiz\$5) with compil\$3 with target with (architecture or platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 10:46
S69	1	compiler with input\$4 with benchmark	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 11:49
S60	54	compil\$5 same input\$4 with (optimiz\$5) with (heuristic or strategy or plan or option)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 11:51
S61	990	(inject\$3 or insert\$3) with (optimized or specialized) with (function or procedure or kernel or block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 11:55
S62	629	(tailor or tun\$3) with compil \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 11:55
S63	0	S61 and S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 11:55

S64	2976	(717/151-161).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/02/03 11:55
S65	17	S64 and S61	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 11:55
S66	44520	(optimized or specialized) near5 (function or procedure or kernel or block)	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:07
S67	433	S64 and S66	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:07
S68	3241	(replac\$3 or determin\$5 or find\$3 or insert\$3 or map\$4) with (optimized or specialized) near5 (function or procedure or kernel or block)	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:07
S69	90	S64 and S68	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:07
S70	7	S69 and (benchmark or (training near4 set))	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:08
S71	28	S67 and (benchmark or (training near4 set))	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:08
S72	665	(tailor or tun\$3 or optimiz\$5) with compil\$3 with (heuristic or strategy or plan or option)	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:13



S73	14	S72 and (training near4 set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:13
S74	125	(optimiz\$5 or tailor\$3 or tun\$3) with compil\$5 with target with (architecture or platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:16
S75	0	S74 and (training near4 set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:16
S76	46516	(optimized or specialized) near5 (function or procedure or kernel or block or library)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:18
S77	997	S76 and (training near4 set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:18
S78	6562	(optimiz\$5 with compiler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:19
S79	9	S77 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 12:19
S80	976	generat\$3 with multiple near4 version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 14:57
S81	91	select\$3 with optimal near4 version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 14:57

S82	4	S80 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 14:57
S83	6562	optimiz\$5 with compiler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 14:57
S84	687	S83 and "I1"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 14:57
S85	21	S83 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 14:57
S86	571	multiple near4 level with optimiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 15:01
S87	34	S83 and S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 15:01
S88	1357	add\$3 with ((training near2 set) or benchmark)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 15:06
S89	4	S83 and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 15:07
S90	165	((training near2 set) or benchmark) with (instruction or fragment or block or method or loop or procedure) near4 pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 15:08

S91	1	S83 and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/03 15:08
S92	5	loop near4 fragment with complexity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 09:44
S93	1163	(generat\$3 or creat\$3) with compiler with (rule or strategy or plan or option)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 09:58
S94	2397	loop near4 fragment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 09:58
S95	12	S93 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 09:58
S96	46172	(training near4 set) or benchmark	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 09:59
S97	1	S96 same S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 09:59
S98	40	S96 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 09:59
S99	9079	(add\$3 or insert\$3 or inject \$3) with (benchmark or test or training) near4 (set or sequence or suite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 11:59

S100	2994	(717/151-161).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/02/24 11:59
S102	12	S100 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 11:59
S103	166	(feed\$3 with back) with (benchmark or test or training) near4 (set or sequence or suite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:02
S104	0	S100 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:02
S105	13602	(identify\$3 or new) with (benchmark or test or training) near4 (set or sequence or suite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:03
S106	18	S100 and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:03
S107	2410	(optimiz\$5 and compil\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:03
S108	12	S107 and (S99 or S105)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:03
S109	18	("4852019"   "5448737"   "5483539"   "5493675"   "5577253"   "5613117"   "5623418"   "5659753"   "5682208"   "5740443").PN. OR ("5815721").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/02/24 12:06

S110	28	("5396631"   "5442790"   "5579520"   "5754860"   "5761510"   "5774725"   "5787285"   "5815721"   "5842021"   "5940618"   "5956512"   "5960197"   "5960202"   "5974248"   "6038398").PN. OR ("6223337").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/02/24 12:11
S111	208452	(benchmark or test or training) near4 (set or sequence or suite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:14
S112	98	S107 and S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:15
S113	2011	(modify\$3 or modification) with (benchmark or test or training) near4 (set or sequence or suite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:36
S114	3	S100 and S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:36
S115	2	S107 and S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:36
S116	14	(reevaluat\$3 or "re-evaluate") with (benchmark or test or training) near4 (set or sequence or suite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:37
S117	36	(modify\$3 or modification) with (benchmark or test or training) near4 (set or sequence or suite) same feedback	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:41

S118	110	(add\$3 or insert\$3 or inject \$3) with (benchmark or test or training) near4 (set or sequence or suite) same feedback	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:57
S121	0	S118 and compiler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:58
S122	220	(add\$3 or insert\$3 or inject \$3 or new) with (benchmark or test or training) near4 (set or sequence or suite) same feedback	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:58
S123	277	(add\$3 or insert\$3 or inject \$3 or new or identify\$3 or extract\$3) with (benchmark or test or training) near4 (set or sequence or suite) same feedback	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:58
S124	553	feedback same compiler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:59
S125	0	S123 and S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:59
S126	4	(add\$3 or insert\$3 or inject \$3 or new or identify\$3 or extract\$3) with (benchmark or test or training) near4 (set or sequence or suite) and S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:59
S127	2	S123 and compiler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 12:59
S129	67	(add\$3 or insert\$3 or inject \$3 or new or identify\$3 or extract\$3) with (benchmark or test or training) near4 (set or sequence or suite) and (iterative or recursive) with compil\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/24 13:00

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S130	181	((717/124-133,150-161) or (714/38) or (706/12,13)). OCLS	UPAD	OR	OFF	2011/02/24 14:42
S131	57	S130 and compiler	US-PGPUB; USPAT; UPAD	OR	ON	2011/02/24 14:43
S134	1757	(benchmark or test or training) near4 (set or sequence or suite)	UPAD	OR	ON	2011/02/24 14:45
S135	114	S134 and compiler	UPAD	OR	ON	2011/02/24 14:45

2/ 25/ 2011 12:27:14 PM

C:\Documents and Settings\jwang4\My Documents\EAST\Workspaces\ 10585797.wsp